```
=> s l6
L7          10 L6

=> s l7 and pd<=2003
      23971142 PD<=2003
                  (PD<=20039999)
L8           6 L7 AND PD<=2003

=> focus
PROCESSING COMPLETED FOR L8
L9           6 FOCUS L8 1-

=> d ibib abs hitstr 1-6

L9   ANSWER 1 OF 6  CAPLUS  COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER:         2002:906238  CAPLUS
DOCUMENT NUMBER:          138:4598
TITLE:                    Preparation of substituted
                          5,6-dihydro-4H-pyrrolo[1,2-b]pyrazoles as TGF-β
                          signal transduction inhibitors
INVENTOR(S):              Sawyer, Jason Scott; Beight, Douglas Wade; Ciapetti,
                          Paola; Decollo, Todd Vincent; Godfrey, Alexander
                          Glenn; Goodson, Theodore, Jr.; Herron, David Kent; Li,
                          Hong-yu; Liao, Junkai; Mcmillen, William Thomas;
                          Miller, Shawn Christopher; Mort, Nicolas Anthony;
                          Yingling, Jonathan Michael; Smith, Edward C. R.
PATENT ASSIGNEE(S):       Eli Lilly and Company, USA; et al.
SOURCE:                   PCT Int. Appl., 305 pp.
                          CODEN: PIXXD2
DOCUMENT TYPE:            Patent
LANGUAGE:                 English
FAMILY ACC. NUM. COUNT:   1
PATENT INFORMATION:

     PATENT NO.           KIND   DATE        APPLICATION NO.         DATE
     ---------------      ----   --------    --------------------    --------
     WO 2002094833         A1    20021128    WO 2002-US11884         20020513 <--
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
             CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
             GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
             LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
             PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ,
             UA, UG, US, UZ, VN, YU, ZA, ZM, ZW
         RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH,
             CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR,
             BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
     CA 2446820            A1    20021128    CA 2002-2446820         20020513 <--
     AU 2002339268         A1    20021203    AU 2002-339268          20020513 <--
     AU 2002339268         B2    20070531
     EP 1397364            A1    20040317    EP 2002-744115          20020513
     EP 1397364            B1    20070725
         R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
     BR 2002009939         A     20040330    BR 2002-9939            20020513
     CN 1511157            A     20040707    CN 2002-810508          20020513
     CN 1269820            C     20060816
     JP 2004535404         T     20041125    JP 2002-591506          20020513
     HU 2004000451         A2    20041228    HU 2004-451             20020513
     HU 2004000451         A3    20080828
     NZ 528525             A     20051028    NZ 2002-528525          20020513
```

CN 1951939	A	20070425	CN 2006-10094674		20020513
AT 368041	T	20070815	AT 2002-744115		20020513
ES 2289116	T3	20080201	ES 2002-744115		20020513
IN 2003KN01359	A	20060317	IN 2003-KN1359		20031022
ZA 2003008546	A	20050131	ZA 2003-8546		20031031
US 20040106604	A1	20040603	US 2003-477111		20031106
US 7087626	B2	20060808			
MX 2003010630	A	20040309	MX 2003-10630		20031119
NO 2003005193	A	20031121	NO 2003-5193		20031121 <--
KR 861630	B1	20081007	KR 2003-715226		20031121
HK 1064375	A1	20080206	HK 2004-107054		20040915
PRIORITY APPLN. INFO.:			US 2001-293464P	P	20010524
			CN 2002-810508	A3	20020513
			WO 2002-US11884	W	20020513

OTHER SOURCE(S): MARPAT 138:4598

GI



I II

AB Title compds. I [R1 = Ph, pyridine, pyridine-N-oxide, quinoline, naphthyridine, etc.; R2 = quinoline, quinoline-N-oxide, naphthalene, pyridine, pyridine-N-oxide, quinazoline, etc.; p = 1-8; R3 = H, alkyl, alkylhydroxy, hydroxy, dialkylamino, etc.; X = C, O, S] were prepared For instance, 1-[[2-(6-Bromoquinolin-4-yl)-1-(pyridin-2-yl)ethylidene]amino]pyrrolidin-2-one (preparation given) was treated with NaH in DMF at 80-85° for 18 h to afford II in 54% yield. Selected compds. of the invention had IC50 < 20.00 μM for the TGF-β type I receptor.

IT **476477-76-6P**, 2-(Pyridin-2-yl)-3-(quinolin-4-yl)pyrazolo[1,5-a]piperidin-7-ol
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of (hetero)aromatic substituted 5,6-dihydro-4H-pyrrolo[1,2-b]pyrazoles as TGF-β signal transduction inhibitors)

RN 476477-76-6 CAPLUS

CN Pyrazolo[1,5-a]pyridin-7-ol, 2-(2-pyridinyl)-3-(4-quinolinyl)- (CA INDEX NAME)



IT **476476-22-9P**, 7-Benzyloxy-2-(Pyridin-2-yl)-3-(quinolin-4-yl)pyrazolo[1,5-a]piperidine **476477-77-7P**, 7-Acetoxy-2-(pyridin-2-yl)-3-(quinolin-4-yl)pyrazolo[1,5-a]piperidine
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of (hetero)aromatic substituted 5,6-dihydro-4H-pyrrolo[1,2-b]pyrazoles as TGF-β signal transduction inhibitors)

RN 476476-22-9 CAPLUS
CN Quinoline, 4-[7-(phenylmethoxy)-2-(2-pyridinyl)pyrazolo[1,5-a]pyridin-3-yl]- (CA INDEX NAME)



RN 476477-77-7 CAPLUS
CN Pyrazolo[1,5-a]pyridin-7-ol, 2-(2-pyridinyl)-3-(4-quinolinyl)-, 7-acetate (CA INDEX NAME)



REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 1993:472619 CAPLUS
DOCUMENT NUMBER: 119:72619

ORIGINAL REFERENCE NO.: 119:13093a,13096a
TITLE: Preparation of pyrazole and 4H-pyrazolo[1,5-a]pyrimidin-5-one derivatives as antiinflammatory, antirheumatic, antibacterial, and antiviral agents
INVENTOR(S): Hashimoto, Kinji; Tomoyasu, Takahiro; Inoe, Makoto; Inai, Masatoshi
PATENT ASSIGNEE(S): Otsuka Pharmaceutical Factory, Inc., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 17 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05017470	A	19930126	JP 1991-219805	19910830 <--
JP 2753659	B2	19980520		

PRIORITY APPLN. INFO.: JP 1990-233622 A1 19900903
OTHER SOURCE(S): MARPAT 119:72619
GI



AB The title compds. [I; R1 = pyridyl, Ph optionally having 1-3 substituents selected from alkyl, alkoxy, alkylthio, haloalkyl, halo, Ph, PhS, or methylenedioxy; R2 = pyridyl, NHR5; R5 = H, alkyl, alkanoyl, CHO; R3 = pyridyl, R4 = H, alkanoyl, alkoxycarbonyl, phenylalkoxycarbonyl; or R3R4 = NHCO(CH2)n, N:NHC(CO2R6):COH; n = 1,2; R6 = H, alkyl] are prepared as antiinflammatory, antirheumatic, antibacterial, and antiviral agents (no data). Thus, condensation of 4-FC6H4CH2CN with Et picolinate in the presence of NaOMe in PhMe at 90° to a ketone nitrile (II) followed by cyclocondensation with N2H4.H2O at 90° gave I (R1 = 4-fluorophenyl, R2 = R4 = NH2, R3 = 2-pyridyl). A total of 39 I were prepared

IT **148612-03-7P 148612-04-8P**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of, as antiinflammatory, antirheumatic, antibacterial, and antiviral agent)
RN 148612-03-7 CAPLUS
CN Pyrazolo[1,5-a]pyrimidine-6-carboxylic acid, 3-(4-fluorophenyl)-7-hydroxy-2-(2-pyridinyl)-, ethyl ester (CA INDEX NAME)



RN 148612-04-8 CAPLUS
CN Pyrazolo[1,5-a]pyrimidine-6-carboxylic acid,
3-(4-fluorophenyl)-7-hydroxy-2-(2-pyridinyl)- (CA INDEX NAME)



L9 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2001:371567 CAPLUS
DOCUMENT NUMBER: 135:5612
TITLE: Preparation of new pyrazolo terpyridines as remedies for inflammation, autoimmune diseases
INVENTOR(S): Yamamoto, Hirofumi; Takahashi, Fumie; Kato, Takeshi; Nakamura, Katsuya; Manabe, Koji
PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 64 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001139575	A	20010522	JP 1999-323692	19991115 <--

PRIORITY APPLN. INFO.: JP 1999-323692 19991115
OTHER SOURCE(S): MARPAT 135:5612
GI



I



II

AB The pyrazolo terpyridine or that salt which is cyclooxygenase - 2 (COX-II) inhibitors, those production methods, the medicine composition, and the person or the animal which contain those inflammation condition, u painfully, prevention of the autoimmune disease and / or the method of treating is offered. Below-mentioned general formula (I) [in the formula, the R1 and the R2, the resp. hydrogen, the hydrogen, the low-grade alkyl group and the halogen et cetera, mean, R3 such as low-grade alkyl group and the cyclo (low grade) alkyl group resp.] So the chemical compound which is displayed or that salt.

IT **340321-47-3P 340321-51-9P**
RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of new pyrazolo terpyridines as remedies for inflammation autoimmune diseases)

RN 340321-47-3 CAPLUS
CN Pyrazolo[1,5-a]pyridine, 2-(5-methyl-2-pyridinyl)-3-[4-(methylsulfonyl)phenyl]- (CA INDEX NAME)



RN 340321-51-9 CAPLUS
CN Pyrazolo[1,5-a]pyridine, 3-[4-(methylsulfonyl)phenyl]-2-(2-pyridinyl)-

(CA INDEX NAME)



L9 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 1997:303413 CAPLUS
DOCUMENT NUMBER: 126:277485
ORIGINAL REFERENCE NO.: 126:53798h,53799a
TITLE: Preparation of pyrazolo[1,5-a]pyrimidine derivatives as analgesics
INVENTOR(S): Inoue, Makoto; Okamura, Takashi; Shoji, Yasuo; Hashimoto, Kinji; Ohara, Masayuki; Yasuda, Tsuneo
PATENT ASSIGNEE(S): Otsuka Pharmaceutical Factory, Inc., Japan
SOURCE: PCT Int. Appl., 85 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
WO 9711946	A1	19970403	WO 1996-JP2759		19960924 <--
W: AU, CA, CN, JP, KR, US					
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE					
CA 2206080	A1	19970403	CA 1996-2206080		19960924 <--
AU 9670022	A	19970417	AU 1996-70022		19960924 <--
AU 707530	B2	19990715			
EP 795555	A1	19970917	EP 1996-931299		19960924 <--
R: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE					
CN 1169149	A	19971231	CN 1996-191570		19960924 <--
TW 492970	B	20020701	TW 1996-85111836		19960926 <--
US 5843951	A	19981201	US 1997-836822		19970521 <--
PRIORITY APPLN. INFO.:			JP 1995-289096	A	19950928
			WO 1996-JP2759	W	19960924

OTHER SOURCE(S): MARPAT 126:277485
GI



I

AB Claimed are analgesics which contain as the active ingredient

pyrazolo[1,5-a]pyrimidine derivs. represented by general formula [e.g. I; R11 = H, lower alkyl, pyridyl, furyl, thienyl, Ph optionally having lower alkyl or phenylthio as substituent(s), N-(lower alkyl)pyrrolyl, or pyrazinyl; R12 = H, halo, Ph, Ph having substituent(s) selected from among halo, phenylthio and CF3, Ph having CF3 and NO2 as substituents, or Ph having lower alkoxy and phenylthio as substituents; R13 = H, lower alkyl optionally having oxo, ethylenedioxy, lower alkanoyloxy, lower alkoxy, lower alkylthio, CO2H, halo or thienyl as substituent(s), lower alkenyl, cycloalkyl, Ph optionally having one to three substituents selected from among lower alkyl, halo and lower alkoxy, furyl, or thienyl; R14 = H, CO2H, lower alkoxycarbonyl, NO2, halo, or lower alkyl having lower alkoxycarbonyl or an alkali metal carboxylate residue as substituent(s), or alternatively R13 and R14 may be bonded to each other to thereby form lower alkylene; R15 = H, alkali metal, lower alkyl, Ph optionally having one to three substituents selected from among lower alkyl and lower alkoxy, pyridyl optionally having lower alkyl or halogeno as substituent(s), quinolyl or isoquinolyl; A = a single bond or lower alkylene]. These compds. have an analgetic action and are useful in relieving symptoms with pain such as postoperative pain and migraine. Thus, a solution of 1.5 g 3-amino-4-(4-phenylthio)phenylpyrazole and 1.1 g Et 2-cyclohexanecarboxylate in AcOH was heated at 100° for 3 h to give 1.8 g 9-hydroxy-3-(4-phenylthio)phenyl-5,6,7,8-tetrahydropyrazolo[5,1-b]quinazoline. I (R11 = R12 = R14 = H, R13= Bu, R15 = 3-pyridyl, A = CH2) and I (R11 = R12 = R14 = H, R13= Bu, R15 = 4-pyridyl, A = CH2) (II) at 3 mg/kg p.o. showed 95.3 and 92.8% recovery of pain threshold value in rat, resp., which was measured 3 h after the administration of the compound Formulations, e.g. tablet containing II, are described.

IT **148612-04-8P**
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of pyrazolopyrimidine derivs. as analgesics)

RN 148612-04-8 CAPLUS
CN Pyrazolo[1,5-a]pyrimidine-6-carboxylic acid, 3-(4-fluorophenyl)-7-hydroxy-2-(2-pyridinyl)- (CA INDEX NAME)



L9 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN
ACCESSION NUMBER: 2003:472515 CAPLUS
DOCUMENT NUMBER: 139:53015
TITLE: Preparation of pyrazolopyridine derivatives as antiherpes agents
INVENTOR(S): Gudmundsson, Kristjan; Johns, Brian A.
PATENT ASSIGNEE(S): Smithkline Beecham Corporation, USA
SOURCE: PCT Int. Appl., 138 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003050120	A1	20030619	WO 2002-US37052	20021120 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002357740	A1	20030623	AU 2002-357740	20021120 <--
EP 1453830	A1	20040908	EP 2002-792278	20021120
EP 1453830	B1	20070912		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
JP 2005516916	T	20050609	JP 2003-551144	20021120
AT 373000	T	20070915	AT 2002-792278	20021120
ES 2292839	T3	20080316	ES 2002-792278	20021120
US 20040248903	A1	20041209	US 2004-496358	20040520
US 7199120	B2	20070403		
US 20070161653	A1	20070712	US 2006-558005	20061109

PRIORITY APPLN. INFO.:		US 2001-339585P	P	20011211
		WO 2002-US37052	W	20021120
		US 2004-496358	A3	20040520

OTHER SOURCE(S): MARPAT 139:53015
GI



I



II

AB Pyrazolopyridines I [R = (un)substituted aryl, heteroaryl; R1 = H, halo, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, heterocyclic, (un)substituted OH, CO2H, CONH2, C(:NH)NH2, SH, S(O)H, SO2H, NH2, acyl, CN, NO2, N3; p = 0-4; R2 = halo, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, aryl, (un)substituted OH, SH, S(O)H, SO2H, NH2; R3, R4 = H, halo, alkyl, alkenyl, alkynyl, cycloalkyl, aryl, heterocyclic, (un)substituted OH, CO2H, CONH2, CSNH2, SH, s(O)H, SO2H, NH2, acyl] were prepared Thus, 7-chloro-2-(4-pyridinyl)pyrazolo[1,5-a]pyridine was obtained from 6-chloro-2-picoline and Et isonicotinate in 3 steps and was acetylated, treated with cyclopentylamine, and cyclized with N-cyclopentylguanidine to give the pyrazolopyridine II which had IC50

against HSV-1 of 1.5 μM.

IT **544675-21-0P**

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pyrazolopyridine derivs. as antiherpes agents)

RN 544675-21-0 CAPLUS

CN Pyrazolo[1,5-a]pyridin-7-amine, N-cyclopentyl-3-[2-(methylamino)-4-pyrimidinyl]-2-(2-pyridinyl)- (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 1993:580816 CAPLUS

DOCUMENT NUMBER: 119:180816

ORIGINAL REFERENCE NO.: 119:32331a,32334a

TITLE: Preparation of pyrazolo[1,5-a]pyrimidine derivatives as pharmaceuticals

INVENTOR(S): Inoe, Makoto; Inai, Masatoshi; Tomoyasu, Takahiro; Hashimoto, Kinji

PATENT ASSIGNEE(S): Otsuka Pharma Co Ltd, Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 14 pp.
CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05125079	A	19930521	JP 1991-288571	19911105 <--

PRIORITY APPLN. INFO.: JP 1991-288571 19911105

OTHER SOURCE(S): MARPAT 119:180816

GI



AB The title derivs. I [R1 = (lower alkyl)heterocycle; R2 = H, halophenyl; A = Q, Q1; R3, R4 = H, lower alkyl, cycloalkyl, halo-substituted lower

alkyl, Ph, carboxyl, lower alkoxycarbonyl, halo; R3R4 may be bonded to form lower alkylene; R5 = lower alkyl, lower alkoxycarbonyl, BCOZ; B = lower alkylene; Z = di(lower alkyl)amino, 1-piperidinyl, 1-pyrrolidinyl; R6 = OH, lower alkyl; when R2 = halophenyl then R3 ≠ carboxy or lower alkoxycarbonyl], useful as antiinflammatories, antirheumatics, allergy inhibitors, antipyretics, and analgesics (no data), are prepared A solution of 36.8 g 2-cyanoacetyl-1-methylpyrrole and NH2NH2.H2O in isoamyl alc. was heated at 120° for 48 h to give 30.3 g 5-amino-3-[2-(1-methyl)pyrrolyl]pyrazole, 3.2 g of which was treated with 2.7 g MeCOCH2CO2Et in AcOH at 90° for 12 h to give 4.2 g 7-hydroxy-5-methyl-2-[2-(1-methyl)pyrrolyl]pyrazolo[1,5-a]pyrimidine. A total of 42 I were prepared

IT **150130-99-7P**

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of, as drug)

RN 150130-99-7 CAPLUS

CN Pyrazolo[1,5-a]pyrimidin-7-ol, 3-(4-fluorophenyl)-5-methyl-2-(2-pyridinyl)- (CA INDEX NAME)